

VELTEKO

VERTICAL
PACKAGING
MACHINE

HSV



440

Series

The versatility of Velteko machines allow for packaging your products into the widest variety of bags so you are prepared to face the constantly changing requests and challenges of the marketplace.

VERSATILITY

IT'S NOT JUST A BENEFIT...

IT'S A NECESSITY.



51

*different
types of bags*

16 *variations
of standup pouches*














10–60

*minute changeover
time between bags*



10
*applicators for
extended bag
functionality*



51 different types of bags



16 variations of standup pouches



Wide Range of Applicators for Extended Bag Functionality



Zipper



Ultrazip



Resealable Flap



Label



External Degassing Valve



Internal Degassing Valve



Printers



Advertising tape

Technical Parameters



	HSV440A-CAM	HSV440A-STEP
Method of operation	Intermittent	Intermittent
Speed	up to 50 bags/min.	up to 50 bags/min.
Maximum width of bag		400 mm
Different types of bags	51	51
Maximum width of foil roll		1,100 mm
Electricity	3 x 400 V / 50 Hz	
Air pressure	0.6 MPa	

Standard Equipment

- ❑ Intermittent motion
- ❑ Robust stainless steel construction for maximum reliability and durability
- ❑ Branding components with worldwide availability
- ❑ Servo-driven cross jaws
- ❑ Vacuum-driven film draw-down belt
- ❑ Automatic film centering

Service & Guarantee

- ❑ Spare parts catalogue for your specific machine
- ❑ 12 month / unlimited hours warranty
- ❑ Extended service intervals for reduced cost of ownership
- ❑ 24/7 service available



Intuitive user-friendly interface



5
languages

500
programs

USB
port

Ethernet

VPN
router

Data
Service

Optional
Bar Code
Reader

Camera



- ❑ *BECKHOFF industrial computer with 12" full color touch screen and extended connectivity (USB, RJ45)*
- ❑ *Optional Allen-Bradley control system*
- ❑ *Velteko software recommends operating parameters and displays interactive operational messages in your local language*
- ❑ *Audiovisual online support system service with IP camera for secure remote management and service analysis tools*
- ❑ *Instructional videos displayed on color touch screen*
- ❑ *Images from IP cameras located on the dosing metering device are displayed directly on the home screen*
- ❑ *Machine statistics available by default in the control panel*
- ❑ *Optional RFID system for easy identification*
- ❑ *Optional loading of parameters via barcodes*
- ❑ *Optional operational machine communication with Enterprise System Software*
- ❑ *VELTEKO DATASERVICE – Software tools for improved management and analysis of machine operation*


Contacts

VELTEKO CZ s.r.o.
K Borovickam 1716
258 01 Vlasim
Czech Republic
Tel. +420 317 846 473
velteko@velteko.cz

VELTEKO POLSKA Sp. z o. o.
Ul. Św. Michała 43
61 119 Poznań
Polska
Tel. + 48 61 650 34 07
velteko@velteko.pl

ООО «ВЕЛТЕКО РУС»
4-ая Тверская-Ямская, д. 33/39
125047 г. Москва
Российская Федерация
Тел. +7 495 799 93 78
velteko@velteko.ru

WORLDWIDE SALES NETWORK



COUNTRIES VELTEKO SERVES

www.velteko.com

The contents of this datasheet are not a promise of conclusion of any contract or any contract that is not concluded. VELTEKO s.r.o. reserves the right to change the technical data of the machines displayed and described in this datasheet at any time. Photographs of machines with additional accessories that are not part of the standard range may be used for illustrative purposes. Please contact your local distributor to receive a customized price quotation.

More packaging machines from our range

US Series

- Up to 91 different types of bags
- Every type of top seal folding
- 5 types of reclosable systems including TinTie
- Packaging fragile products



HSV360A-DUPLEX

- Up to 360 bags/min.
- 4 different types of bags



Velteko – The vertical packaging machine experts